



ARCHITECTURE HARDWARE ACCESSORIES





HANGFAT was established in Jiangmen, China, 1994. It is a classic Chinese metal product brand with a history of 30 years.

We set product development, manufacturing and independent marketing in one, and always insist that the details are king. That is how we were born, grew and become powerful.

HANGFAT provide OEM/ODM service for our customers. Adequate machines and production lines can achieve a monthly production capacity of 800,000 pairs/set. Our product lines cover stainless steel handles, turn knobs, back plates, locksets, hinges and so on.

In the past years, HANGFAT stuck to the strict raw material inspection & acceptance standards and material distribution system. We continue to innovate production processes to reduce production spoilage, achieving better cost and quality control.

HANGFAT believes important people need more professional protection. All the important objects of protection can be "Safe, always around"!

"PIONEER ROLE" -focus, professional, leading!

OUR TEAM

Core belief: Through expertise and love, for more space to achieve hand-in-hand security system.

Mission: Important people, need more professional guarding.

Vision: "Pioneer role"-Focus, Professional, Leading.

Value: All important objects of protection can be "Safe, always around".



TAKE SAFETY
WITH YOU

DETAILS ARE KING



HANGFAT was established in Jiangmen, China, 1994. It is an classic Chinese metal product brand with a history of 30 years.

We set product development, manufacturing and independent marketing in one, and always insist that the details are king.

That is how we were born, grew and become powerful.

AUTOMATION MORE PROFESSIONAL

HANGFAT has technicians with decades of industry experience
Their production precision is close to the machine.

But for this "close",
We insist on introducing dozens of new & advanced machines.

3D automatic welding machine is highly efficient and accurate, ensuring uniform, stable and beautiful appearance of each solder joint;

Automatic polishing machine for every detail of the product has a delicate, smooth texture, and shiny;

Laser marking machine, high-speed, exquisite lines, to ensure the quality of our products and production capacity;

.....


We are always dedicated to speciality and meticulousness, perfecting every detail and making every product reliable.



QUALITY IS MARKET

HANGFAT provide OEM/ODM service for our customers. Adequate machines and production lines can achieve a monthly production capacity of 800,000 pairs/set. Our product line covers stainless steel handles, turnknobs, back plates, locksets, hinges and so on.

In the past 30 years, HANGFAT stuck to the strict raw material inspection & acceptance standards and material distribution system. We follow the principle of first-in, first-out in inventory control. 12 quality inspection processes ensure that each product undergoes rigorous testing before it can be distributed on the market.






INNOVATION LEADS FUTURE

HANGFAT continues to innovate production processes to reduce production spoilage, thereby achieving better cost and quality control. At the same time, we are constantly optimizing product design, focusing on the fit of technology and life, and presenting the natural beauty with texture.

Each of HANGFAT's products is comfortable, safe and beautiful, meeting the needs of modern life and suitable for a variety of modern home styles.



HANGFAT CERTIFICATIONS



Certificate of Environmental Management System




Certificate of Quality Management System



Pollutant Emission Permit



CE Certificate



ESG Certificate



Work Safety Standardization Certificate (Level 3)



RoHS Certificate



EN1670 Performance Test Report

HANGFAT CERTIFICATIONS



Intertek Legal Entity: Intertek Testing Services Shenzhen Ltd.
Block E, No. 7-2 Guang Dong Software Park, Science Park, Cao'an
Road, Jiangmen City, Guangdong, China
Telephone/Fax: +86-20-4213 1666/86-20 3205 7538

Test Verification of Conformity

In the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the requirements of the referenced specification at the time the tests were carried out.

Applicant Name & Address: Jiangmen City Pengjiang Region Durian Hangfat Metal Products Factory, Nacking Industrial District, Durian Town, Jiangmen City, Guangdong Province, China 529275

Product Description: Ratings & Principle Characteristics:
Model(s): LHT05, LHT07, LHT12, LHT06, LHM02, LHM07, LHM12 & LHM12

Brand Name: EN 1906-2012
Relevant Standard(s): Same as Legal Entity
Verification Issuing Office: February 20, 2016 - April 01, 2016
Date of Test(s): 16022904GZU-001

This verification is part of the full test report(s) and should be read in conjunction with them.



Name: Han Dong
Position: Assistant Technical Manager
Date: May 6, 2016

The verification is for the exclusive use of Client and is provided pursuant to the agreement between Client and its Client's responsibility and liability are limited to the terms and conditions of the agreement. Intertek accepts no liability to any party other than Client in accordance with the terms and conditions of the agreement. Intertek does not accept any liability for any damage or loss arising from the use of this verification. The documents and test results referred to in this verification are relevant only to the samples tested. This verification by itself does not imply that the products or services to be used from other than Intertek, conform to the standard.

www.intertek.com Page 3 of 3 GFT-OPI-114 (24 Oct 2014)

EN1906 Grade 3 Certificate

Test Verification of Conformity

On the basis of the tests undertaken, the sample(s) of the above product have been found to comply with the requirements of the referenced specifications at the time the tests were carried out.

Applicant Name & Address: JIANGMEN CITY PENGJIANG REGION DURIAN HANGFAT METAL PRODUCTS FACTORY
NACKING INDUSTRIAL DISTRICT, DURIAN TOWN, JIANGMEN CITY, GUANGDONG PROVINCE, CHINA

Product(s) Tested: Lever Handle
Ratings and principal characteristics:
Model(s): LHTP1, LHTB1, LHTB4, LHTB6, LHTB8, LHTB12

Relevant Standard(s)/Specification(s): EN 1906:2012
Identification Issuing Office Name & Address: Same as Legal Entity
Date of Test(s): May 10, 2013 to May 24, 2013
Verification Report Number(s): 13051902GZU-001

NOTE 1: This verification is part of the full test report(s) and should be read in conjunction with it.
NOTE 2: The reference number is 13051902GZU-001 dated June 6, 2013.

This verification is for the exclusive use of Client and is provided pursuant to the agreement between Client and its Client's responsibility and liability are limited to the terms and conditions of the agreement. Intertek accepts no liability to any party other than Client in accordance with the terms and conditions of the agreement. Intertek does not accept any liability for any damage or loss arising from the use of this verification. The documents and test results referred to in this verification are relevant only to the samples tested. This verification by itself does not imply that the products or services to be used from other than Intertek, conform to the standard.

www.intertek.com Page 3 of 3 GFT-OPI-114 (24 Oct 2014)

EN1906 Grade 4 Certificate

Test Verification of Conformity

Verification Number: 181205049GZU-001 VOC

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the requirements of the referenced specifications at the time the tests were carried out. This verification is part of the full test report(s) and should be read in conjunction with it.

Applicant Name & Address: Jiangmen City Pengjiang Region Durian Hangfat Metal Products Factory, Nacking Industrial District, Durian, Jiangmen, Guangdong, China

Product Description: Ratings & Principle Characteristics:
Model(s): LHT22, LHT23, LHT24, LHT25
LHT22K03, LHT23K03, LHT24K03, LHT25K03

Brand Name: EN 1935:2002/AC:2003
Relevant Standard(s): EN 1935:2002/AC:2003
Date of Test(s): 2024/1/8-2024/2/8
Report Number(s): J23101903-1 dated Feb 26, 2024

On the basis of the tests undertaken, the sample(s) of the above product have been found to comply with the requirements of the referenced specifications at the time the tests were carried out.

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

Signature: Name: Jeff Dong Position: Manager Date: 2018-01-01

Signature: Name: Credentialed Service Guangzhou Co., Ltd. Position: Technical Manager Date: March 8, 2018

Website: www.kasquality.com

EN1906 Grade 4 Certificate



Utility Model Patent



Utility Model Patent



Utility Model Patent



Utility Model Patent



Utility Model Patent



Utility Model Patent



Utility Model Patent



Utility Model Patent



Utility Model Patent



Utility Model Patent

EN1935 Grade 14 Certificate

Appearance Design Patent


Appearance Design Patent

Door direction

The door direction(left/right)according to DIN 107 is determined as follows:

Visible position of the door hinges on the left: **(Din)left**

Visible position of the door hinges on the right: **(Din)right**




Lever handle direction

Lever handle aperture part pointing to the left




Lever handle aperture part pointing to the right




When selecting alternate sets with asymmetrical handles a distinction to the right/left is required. It is therefore necessary to observe the particular door direction.


Examples of asymmetric lever handles



Examples of symmetrical lever handles



Door opening direction









**SSS**-Satin**PSS**-Polished**PVDSG**-PVD Satin Gold**PVDPG**-PVD Polished Gold**PVDSM**-PVD Matt Black

FINISH TREATMENT


HANGFAT's factory finish paint offers a variety of popular standard color choices along with custom match options. The finish paint is applied to our quality commercial products, carefully packaged and supplied to our customer, pre-finished. Our efficient method of application and pre-finished delivery saves in money and time - from a brand you know and trust.

**CRS-PVD** Satin Chrome**PVDSC**-PVD Satin Copper**CRP-PVD** Polished Chrome

ACCESSORIES COMMON SIZE



ICON DEFINITION

Round corner
rose groupSquare corner
rose groupOval rose
groupRound corner plate
group, includes other
plates with different
key holesSquare corner
plate group,
includes other
plates with
different key
holes

ARCHITECTURE HARDWARE ACCESSORIES

We use with a strict quality control system. The management of resources associated with a significant stock control give us an ability to get better balance between price and quality and to respond to our clients requirements very quickly. By the ongoing development of our product line, we have been placed as a leading company in local markets.

The architecture hardware accessories in this catalog are divided into the following groups:

- Door stoppers
- Signatures
- Furniture Handles
- Flush Pulls
- Flush Bolts
- Door Selector
- Switch
- Door Guard
- Door Viewer
- Letter Plates
- Dust Proof Socket
- Handlerail Bracket
- Hooks



ARCHITECTURE HARDWARE ACCESSORIES / DOOR STOPPER

**DS01****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For wall fixing**DS02****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/





SC/CRP/CRS

Application:For floor fixing**DS05****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For wall fixing**DS06****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For wall fixing**DS03****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For floor fixing**DS04****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/





SC/CRP/CRS

Application:For floor fixing**DS07****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For wall fixing**DS08****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For wall fixing

ARCHITECTURE HARDWARE ACCESSORIES / DOOR STOPPER

**DS09****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For floor fixing**DS10****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/





SC/CRP/CRS

Application:For floor fixing**DS13****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For wall fixing**MAGNETIC****DS14****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For floor fixing**DS11****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/




SC/CRP/CRS

Application:For floor fixing**DS12****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS

Application:For wall fixing**DS15****Material:**SUS304 / SUS316**Type:**Door Stopper**Available Finishes:** SSS / PSS / AB / PC / PVD-SG/PG/

SC/CRP/CRS


Application:For wall fixing

STAINLESS STEEL SIGNATURES




SN19

Material:SUS304 / SUS316
Type:Signatures
Available Finishes:
SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS
Application:Installation trough screws




SN23

Material:SUS304 / SUS316
Type:Signatures
Available Finishes:
SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS
Application:Installation trough screws




ARCHITECTURE HARDWARE ACCESSORIES / SIGNATURES

Material:SUS304 / SUS316
Type:Signatures
Available Finishes:
 SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS
Application:
 Installation with strong adhesive fixing




AN-0/.../9
Material:SUS304 / SUS316
Type:Signatures
Available Finishes:
 SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS
Application:
 Installation with strong adhesive fixing

L
120
150



AN-a/.../d
Material:SUS304 / SUS316
Type:Signatures
Available Finishes:
 SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS
Application:
 Installation with strong adhesive fixing


L
120




ARCHITECTURE HARDWARE ACCESSORIES / FURNITURE HANDLE

FH20

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes:
SSS / PSS / AB / PC / PVD-SG/PG/
SC/CRP/CRS

**FH21**

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes:
SSS / PSS / AB / PC / PVD-SG/PG/
SC/CRP/CRS


**FH04**

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes: SSS / PSS / AB / PC / PVD-SG/
PG/SC/CRP/CRS

A
70
50
40
30

FH05

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes: SSS / PSS / AB / PC / PVD-SG/
PG/SC/CRP/CRS



A
70
50
30

FH02

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes: SSS / PSS / AB / PC / PVD-SG/
PG/SC/CRP/CRS

**A**

65

90

FH03

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes: SSS / PSS / AB / PC / PVD-SG/
PG/SC/CRP/CRS

**A**

30

40

50

60


FH01

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes: SSS / PSS / AB / PC / PVD-SG/
PG/SC/CRP/CRS





A	B
40	14
60	15

FH12

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes: SSS / PSS / AB / PC / PVD-SG/
PG/SC/CRP/CRS













A	B	C
170	58	16
120	40	12




ARCHITECTURE HARDWARE ACCESSORIES / FURNITURE HANDLE

**FH06****Material:**SUS304 / SUS316**Type:**Furniture Handle**Available Finishes:**SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

A	B	C	D
102	90	39	51
105	113	39	51
150	138	39	51

**FH10****Material:**SUS304 / SUS316**Type:**Furniture Handle**Available Finishes:**SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS**FH09****Material:**SUS304 / SUS316**Type:**Furniture Handle**Available Finishes:**SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS**FH07****Material:**SUS304 / SUS316**Type:**Furniture Handle**Available Finishes:**SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS**FH08****Material:**SUS304 / SUS316**Type:**Furniture Handle**Available Finishes:**SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS**FH19****Material:**SUS304 / SUS316**Type:**Furniture Handle**Available Finishes:**SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS**FH14****Material:**SUS304 / SUS316**Type:**Furniture Handle**Available Finishes:**SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

A	B	C
80	36	14
115	42	14



ARCHITECTURE HARDWARE ACCESSORIES / FURNITURE HANDLE

**FH15**

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

A



Φ8
Φ10
Φ12
Φ17

**FH18**

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

A

10
12
12.7
14

**FH16**

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

A



10
12
15

**FH17**

Material:SUS304 / SUS316
Type:Furniture Handle
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

A x B


20	10
30	10
40	10
25	13




ARCHITECTURE HARDWARE ACCESSORIES / FLUSH PULLS

**FP03**


Material:SUS304 / SUS316
Type:Flush Pull
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**FP06**


Material:SUS304 / SUS316
Type:Flush Pull
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**FP04**

Material:SUS304 / SUS316
Type:Flush Pull
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**FP05**

Material:SUS304 / SUS316
Type:Flush Pull
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS




ARCHITECTURE HARDWARE ACCESSORIES / FLUSH BOLTS

FB01


Material:SUS304 / SUS316
Type:Flush Bolts
Available Finishes:
SSS / PSS / AB / PC / PVD-SG/PG/
SC/CRP/CRS

6"
8"
10"
12"

**FB02**


Material:SUS304 / SUS316
Type:Flush Bolts
Available Finishes:
SSS / PSS / AB / PC / PVD-SG/PG/
SC/CRP/CRS

6"
8"
10"
12"

**FB03**


Material:SUS304 / SUS316
Type:Flush Bolts
Available Finishes:
SSS / PSS / AB / PC / PVD-SG/PG/
SC/CRP/CRS

6"
8"
10"
12"
18"
24"


**FB04**

Material:SUS304 / SUS316
Type:Flush Bolts
Available Finishes:
SSS / PSS / PVD-SG/PG/SB/AC

6"
8"
10"
12"
18"
24"

**FB05**

Material:SUS304 / SUS316
Type:Flush Bolts
Available Finishes:
SSS / PSS / PVD-SG/PG/SB/AC




ARCHITECTURE HARDWARE ACCESSORIES / DOOR SELECTOR



Door Selector




Door Selector




DC01

Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/ CRS



DC02

Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/ CRS




ARCHITECTURE HARDWARE ACCESSORIES / GENERAL HARDWARES



Switch




Door Guard



DB01


Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/ CRS



DG01


Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/ CRS

Door Viewer



DE01

Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/ CRS




ARCHITECTURE HARDWARE ACCESSORIES / GENERAL HARDWARES




Letter Plate - outside



Letter Plate - inside




LP01-0
Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS




LP01-2
Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS



Dust Proof Socket



Handrail Bracket




DPS-01
Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

HB01
Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS


ARCHITECTURE HARDWARE ACCESSORIES / HOOKS

**H01**


Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**H02**


Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**H03**


Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**H04**


Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**H05**

Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS

**H06**

Material:SUS304 / SUS316
Available Finishes:SSS / PSS / AB / PC / PVD-SG/PG/SC/CRP/CRS



www.hangfatmetal.com

JIANGMEN HANGFAT METAL PRODUCTS FACTORY

Address:Nacikeng Industrial District,Duruan Town,
Jiangmen City,Guangdong Province,China,529075

Tel:+86 750 3663332 **Fax:**+86 750 3663442

E-mail:sales@hangfatmetal.com mulang@hangfatmetal.com

